300W Portable Power Station Handle Solar Power Bank UL Li-ion Battery **Energy System For Outdoor Camping**

Basic Information

. Place of Origin: China Brand Name: MINKO CE, ROHS · Certification:

Model Number: Portable Power Station-M300

• Minimum Order Quantity: 5 pieces • Price: negotiation

· Packaging Details: L210xW85xH52 (mm) • Delivery Time: 8 -10 working days Payment Terms: T/T, Western Union,

MoneyGram,Paypal,Skrill,Transferwise

. Supply Ability: 1000000 pieces per month



Product Specification

300W • Rated Power AC: · Capacity: 266.4Wh

• Power Indicate: LCD Display LCD 18-23V/3A(60W Max) . Solar Charging Input:

• Wireless Charge Output:

• Discharging Temperature

Range:

14~104°F(-10~40°C)

. Housing Material: ABS+PC Operation Humidity: 10%~90%


• Highlight: 300W Portable Power Station,

Outdoor Camping Portable Power Station



More Images





Product Description

300W Portable Power Station Handle Solar Power Bank UL Li-ion Battery Energy System For Outdoor Camping

Description of Portable Power Station

Portable power station is equipped with 300Wh lithium-ion battery pack, which contains upgraded chip, supports fast charging function and more than 1000 recycling times. Pure Sine Wave technology AC outlets deliver stable and safe power, without damage and reduces audible and electrical noise.

Apply to:Home emergency, small household appliances, digital products (such as UAV, mobile phone, computer, notebook,camera, handheld head, car refrigerator, etc.), long-distance self-driving travel, outdoor camping, lighting, picnic, wild fishing,environmental monitoring, geological exploration, car electricity, medical equipment and other scenes

Product Specification

300W
266.4Wh (22.2V/12Ah or 3.7V/72000mAh)
UL Li-ion
LCD display
Battery remaining capacity, Battery fault, total output power, Over
temperature,input power
DC15V/4A(60W max,adapter with UL,CCC,CE,PSE,FCC)
About 5∼6H
MPPT
18-23V/3A(60W max)
32~104°F(0°C~40°C)
Type-C output:PD 60W(5V3A,9V3A,12V3A,15V3A,20V3A)*1
USB output:QC3.0(18W/5V3A,9V2A,12V1.5A)*3(total 54W)
10W
12V/10A(120W)
12V/5A/DC5521*2(total 120W)
W*2(total 10W Max)
SOS,flashlight
Output waveform:pure sinewave
Output voltage:110V(US/JP) or 220V(EU/UK/AU/CN) (AC output
voltage and frequency are customized, according to different
countries and regions.Please refer to the actual product)
Output frequency: 50/60Hz
Peak AC output:600W
AC continuous output: 300W
14~104°F(-10~40°C)
273*181*244mm/about 3.95kg
59*30*32CM/about 17Kg/3PCS
over-charging, short-circuit ,low-voltage,over-temperatature and
over-discharging protection
Oranger+gray,Blue+gray,Red+gray,Green+gray
ABS+PC (fireproofing V0)
-15~45°C
10%~90%
1*M300 portable power supply, 1*60W power supply,1*User
nual, ,color box packaging,1*MC4 charging cable, 1*vehicle
charging cable
12 months
1-2

9 Protections Strictly Abide By Charging Safety

Overcurrect protection
Short-circuit protection
Over discharge protection
Low temperature protection
High temperature protection
Overvoltage protection
Overload protection
Signal interference protection
Overcharge protection







MOBILE WORK



4.5 hours



Wi FiPoutor(10W)



Wi-FiRouter(10W)


22 hours

5.6 hours





Choose the one that suits you with more peace of mind



Packing list







power supply adapter



12V-14V car charger cable



Instruction manual



MINKO (SZ) TECHNOLOGY CO., LIMITED



+8613539872669



yumiko@szminko.com



evstationcharger.com

309 West Lake Industrial Zone, Cuishan Road, Dongxiao Street, Luohu District, SZ